

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Gabel’s Pineapple Cuticle Oil

Description: Mineral Oil

Product Code: GCOPG

Suggested Use: Personal / Nail Care

Restrictions on Use: N/A

Supplier: GABEL’S COSMETICS INC.

Telephone: (323) 221-2430

Fax: (323) 221-5911

Emergency Phone: CHEMTREC (800) 424-9630

2. HAZARDS IDENTIFICATION

Classification

GHS Classification: Aspiration Hazard (Category 1)

GHS Label Elements

Pictogram:



Signal Word: Danger

Hazard Statements: H304: May be fatal if swallowed and enters airways

Precautionary Statements: P301+P310+P331: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.
P405: Store locked up.
P501: Dispose of contents/containers to approved disposal facility.

HMIS Classification: Health Hazard: 0
Flammability: 1
Physical Hazards: 0

NFPA Rating: Health Hazard: 0
Fire: 1
Reactivity Hazard: 0

Potential Health Effects

Inhalation: Can be harmful if inhaled. Avoiding breathing vapors of the heated liquid.

Skin: Can cause skin irritation.

Eyes: May cause eye irritation.

Ingestion: Ingestion of large amounts may produce gastrointestinal disturbances including

irritation, nausea, and diarrhea. Aspiration hazard.

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Component</u>	<u>CAS Number</u>	<u>Concentration</u>
White Mineral Oil	8042-47-5	99% – 100 %
Inert Ingredients		.005% - 0.01%
Synonyms:	Liquid Paraffin, Paraffin Oil	

4. FIRST AID MEASURES

If Inhaled:	If symptoms are experienced, move person into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Seek emergency medical attention immediately.
Skin Contact:	If irritated, take off contaminated clothing and shoes immediately. Flush skin with plenty of soap and water for at least fifteen minutes. If irritation persists, consult a physician.
Eye Contact:	If irritated, flush eyes with plenty of water for at least 15 minutes. Remove contact lenses if able to do so. If irritation persists, consult a physician.
If Ingested:	Do NOT induce vomiting unless instructed to do so by a physician. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Flammability Overview:	Low flammability risk.
Flash Point:	>177°C (350°F)
Extinguishing Media:	Use water-spray, alcohol-resistant foam, dry chemical, or carbon dioxide.
Special Protective Equipment for Firefighters:	Firefighting personnel should respond with appropriate protective clothing, firefighting gear, and breathing equipment as trained.
Hazardous Combustion Products:	In fire conditions: A complex mixture of airborne solids, liquids, and gases including Carbon Monoxide, Carbon Dioxide, and unidentified organic compounds.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Use personal protective equipment. Always ensure adequate ventilation.
Environmental Precautions:	Prevent further leakage or spillage if safe to do so. Prevent from entering drains and waterways. Discharge into the environment must be avoided.
Containment and Clean Up:	Soak up with inert absorbent material and dispose of. Keep in suitable, closed containers for disposal. If assistance is needed, call emergency services.

7. HANDLING AND STORAGE

Safe Handling:	Keep away from flames and hot surfaces. Use personal protective equipment. Always
----------------	---

ensure adequate ventilation.

Safe Storage: Keep containers tightly closed in a dry well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store away from incompatible materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits

Component	CAS Number	Exposure Limit	Basis
White Mineral Oil	8042-47-5	10 mg/m ³	ACGIH TWA (Inhalable fraction of vapor)
		5 mg/m ³	OSHA PEL (Mist)

Personal Protective Equipment

Eye Protection: Tightly fitting safety glasses or goggles should be sufficient. Have eye-wash stations available where eye contact can occur.

Hand Protection: Handle with chemical-resistant gloves. Gloves must be inspected prior to use. Wash and dry hands after use.

Skin Protection: Wear long sleeves, a chemical apron, or other protective clothing to prevent skin contact. Safety showers should be located in the work area where skin contact can occur.

Respiratory Protection: Where risk assessment shows air-purifying respirators are appropriate, use a NIOSH-approved full face respirator with appropriate cartridges. Always ensure adequate ventilation.

General Controls: Always ensure adequate ventilation and that working areas contain safety showers and eye wash stations. Handle material in accordance with good industrial hygiene and safety practices.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

Color: Light Yellow

Odor: Pineapple Scent

Odor Threshold: N/A

pH: N/A

Melting/Freezing Point: <-18°C (0°F)

Boiling Point: >260°C (500°F)

Flash Point: >155°C (311°F)

Evaporation Rate: N/A

Flammability (solid, gas): N/A

Flammability/Explosion Limits: N/A

Vapor Pressure @ 20°C: <0.01 mmHg

Vapor Density: >1 (air=1)

Specific Gravity: 0.855

Density: 7.10 lbs/gal

Solubility in Water: Insoluble

Partition Coefficient: N/A

Autoignition Temperature: N/A
 Decomposition Temperature: N/A
 Viscosity @ 40°C: 11-14 cSt

10. STABILITY AND REACTIVITY

Chemical Stability: Stable under recommended storage conditions.

Conditions and Materials to Avoid: Avoid extreme heat and all sources of ignition. Avoid strong acids or strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.

Hazardous Decomposition Products: Not anticipated under conditions of normal use.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Component	CAS Number	Test	Toxicity
White Mineral Oil	8042-47-5	Oral LD50 (Rat)	>5000 mg/kg
		Dermal LD50 (Rat)	>2000 mg/kg
		Inhalation LC50 (Rat)	>5 mg/L (4hr)

Potential Health Effects

Inhalation: Can be harmful if inhaled. Avoiding breathing vapors of the heated liquid.
 Skin: Can cause skin irritation.
 Eyes: May cause eye irritation.
 Ingestion: Ingestion of large amounts may produce gastrointestinal disturbances including irritation, nausea, and diarrhea. Aspiration Hazard.

Signs and Symptoms of Exposure: Irritation.

Chronic Effects of Long-term Exposure: N/A

Carcinogenicity: N/A

12. ECOLOGICAL INFORMATION

Acute Ecotoxicity

Component	CAS Number	Organism	Ecotoxicity
White Mineral Oil	8042-47-5	Oncorhynchus mykiss	LC50 >5000 mg/l (96hr)
		Daphnia magna	EC50 >1000 mg/l (48hr)

Ecological Effects

Persistence and Degradability: Per the IOPC Fund definition: persistent.

Bioaccumulation Potential: Not expected to bio-accumulate.
Mobility in Soil: No data available.
Other Adverse Effects: None expected.

13. DISPOSAL CONSIDERATIONS

Disposal: Material should be disposed in accordance with all local, state, and federal regulations. Regulations vary by region.
Contaminated Packaging: Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT Information

Proper Shipping Name: N/A
UN Number: N/A
Hazard Class: N/A
Packing Group: N/A

Reportable Quantity (RQ): N/A

Marine Pollutant: No

Note: Not regulated for ground transport.

15. REGULATORY INFORMATION

US Federal

SARA 302 Components: None Listed
SARA 311/312 Hazards: None Listed
SARA 313 Components: None Listed

TSCA Inventory: All chemicals listed or exempted.

European Union

EC Inventory: EINECS 232-455-8

State Regulations

CA Prop 65: None Listed.

16. OTHER INFORMATION

SAFETY DATA SHEET

Version 1.0

Effective Date: 01/24/2020

SDS Version: 1.0
Revision Date: 01/24/2020
Supersedes: New to GHS

The information contained in this document was carefully compiled and is believed to be accurate. The information represents the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. However, it does not represent any guarantee of the properties of the product. We shall not be held liable for any damages resulting from handling or from contact with the above product. It is the responsibility of the purchaser to determine the suitability of the product for their particular purposes. Nothing contained herein shall be construed to be a recommendation to use, or as a license to operate under, or to infringe any existing patents.
